



Tru-Plank Cushion


Luxury Vinyl Plank



HOMESTEAD BLACKBUTT

- ◆ Authentic Timber Designs, replicating the best of Australian and European species with on trend colours to transform your home or office.
- ◆ Heavy Commercial traffic wear surface and thickness, giving you durability and strength to handle your increased demands.
- ◆ **NO** locking mechanism to fail or break! Installed with a “hard set” adhesive to create a strong and stable floor.
- ◆ Moisture and humidity resistant, Tru-Plank Cushion will withstand the harsh Australian climate and commercial demands.
- ◆ Underfoot comfort and stability, providing warmth in winter and coolness in summer.
- ◆ Low maintenance – Just vacuum and microfibre mop.
- ◆ MJS is an Australian family owned and operated business since 1967. Proudly supplying floorcoverings to Australia for generations.

AUSTRALIAN COLLECTION



HOMESTEAD BLACKBUTT



HOMESTEAD SPOTTED GUM



HOMESTEAD WORMY CHESTNUT



HOMESTEAD
SPOTTED GUM



LONG ISLAND SHALE

INTERNATIONAL COLLECTION



LONG ISLAND OYSTER



LONG ISLAND SHALE



PALM BEACH



SMOKEY CABIN



BARNSIDE BEIGE




BARNSIDE GREY




COASTAL CABIN




COUNTRY CABIN



URBAN BLONDE



URBAN OAK




URBAN SMOKE

Variations may occur between photographic images, samples and batches in terms of colour, shade, pattern or similar.



UV Layer

Polyurethane (PU) cured using UV light. Providing the floor with its resistance to wear, stains and scuffs.



Wear Layer

100% virgin PVC with a durability and dependability that is second to none.

High Definition Image Layer

A 100% virgin PVC layer overlaid with a high quality décor film.

Premium High Density Vinyl Layer

Resistant to impacts and indentations.

Base Layer

Constructed to keep the product stable and balanced.

Technical Data

THICKNESS: 4mm

WEAR LAYER: 0.55mm

LENGTH: 1524mm

WIDTH: 228mm

Type of floor covering	Luxury Vinyl Plank	Overall thickness	4.0mm	Castor Chair	PASS
Manufactured	China	Wear Layer	0.55mm	Critical Radiant Flux	≥ 8kW/m ²
Size	228 x 1524mm	Polyurethane Reinforced	Yes PUR	Smoke Development Rate	< 750%
m ² /carton	2.79	Dimensional Stability	≤ 0.12% (PASS)	Classification (Use Area)	Commercial
Kg/carton	21.34	Residual Indentation	≤ 0.1mm (PASS)	Slip Resistance	R10



URBAN SMOKE

Please visit our website for guidelines and details.

www.mjsfloorcoverings.com.au

