



MAX BOND

PRODUCT DATA SHEET

SGC

PRODUCT DESCRIPTION:

MJS SGC Sprayable contact adhesive is a high quality solvent based adhesive designed for easy application by spraying to bond a wide range of materials, It has excellent bond strength and high heat resistance. The high solids content gives outstanding economy of use. Not recommended for exterior application.

FOR BONDING:

Vinyl and PVC skirtings and extrusions, coverstrips, plastic and metal treads nosings, decorative Laminates, MDF, wood and wood Veneer, paper honeycomb to steel, timber, concrete, plasterboard and most common building substrates. This adhesive has good heat resistance but like all similar adhesives, it can be adversely affected by plasticiser migration from PVC products.

SURFACE PREPARATION:

To be in accordance with the relevant Australian Standards. Surface to be bonded must be clean, dry and free from oil, dust, loose paint and other contaminants that may affect adhesion. Highly porous substrates may require a prime coat prior to the main coat.

APPLICATION:

SGC is designed for use with all conventional solvent spray equipment using suction feed or pressure pot equipment. Recommended minimum pressure of 30psi is required to give optimum bond strength. Alternatively application can be by way of roller or brush.

An even coating should be applied to both surfaces ensuring complete coverage on both surfaces and the adhesive allowed to dry before bonding. On absorbent materials such as polyurethane foam bonding can be achieved within minutes of application, depending on atmospheric conditions. On less absorbent materials such as laminates, PVC, MDF and wood veneer the open time can be up to 5-10 minutes depending on atmospheric conditions. Once dry, bring both substrates together and apply pressure by way of roller or other means to ensure good contact is made. In all cases, use sufficient pressure to ensure 100% contact is achieved.

SPREAD RATE:

Up to 6-8m² per litre. Spread rates may vary depending on the condition and substrate absorbency.

CLEAN UP:

To clean up equipment and adhesive spills, use with care a suitable cleaner/thinner (Flammable solvent). However, it is not recommended for removing adhesive from vinyl, carpet or painted surfaces.



QUEENSLAND
Brisbane
MJS Floorcoverings
35 Dividend St
Mansfield 4122
Ph: 07 3347 7300
Fax: 07 3343 9792

NSW
Sydney
MJS Floorcoverings
2/4-7 Potter Close
Wetherill Park 2164
Ph: 02 9616 1500
Fax: 02 9616 1502

VICTORIA
Melbourne
MJS Floorcoverings
82 Endeavour St
Sunshine 3020
Ph: 03 9351 7400
Fax: 03 9351 7402

TASMANIA
Hobart
MJS Floorcoverings
101 Albert Rd
Moonah 7000
Ph: 03 6242 8800
Fax: 03 6242 8802

NORTHERN TERRITORY
Darwin
MJS Floorcoverings
Unit 4/124 Coonawarra Rd
Winnellie NT 0821
Ph: 08 7922 9700
Fax: 08 7922 9702

SOUTH AUSTRALIA
Adelaide
MJS Floorcoverings
22 Ridley Street
Hindmarsh SA 5007
Ph: 08 8178 5300
Fax: 08 8178 5302

WESTERN AUSTRALIA
Perth
MJS Floorcoverings
Opening 2019



MAX BOND

PRODUCT DATA SHEET

PACKAGING:

20 litre

HIGHLY FLAMMABLE:

Avoid contact with skin and eyes and avoid breathing vapour. Contains: 30-60% Liquid Hydrocarbons

SHELF LIFE / STORAGE:

12 months in unopened containers stored out of direct sunlight. Keep container tightly closed. Store Locked up. Keep container in a cool well ventilated place away from sources of heat.

SAFETY & HANDLING:

A Safety Data Sheet is available on request. Keep away from HEAT/SPARKS/OPEN FALMES/HOT SURAFCES – NO SMOKING. Keep container tightly closed. Avoid contact with skin and eyes and avoid breathing vapour. Ground/bond container and receiving equipment Use explosion proof electrical /ventilation/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Avoid breathing vapours. Use only outdoors or in well ventilated areas. Wear protective gloves, eye and face protection. Wash thoroughly after handling. Person who are sensitive to odours and or chemicals should avoid the work area. During the installation process, adequate ventilation of the work area should be maintained. Do not handle until Safety Directions have been read and understood.

FIRST AID:

For advice or you feel unwell contact a Poisons Information Centre (Australia ph 131126, New Zealand ph 0800 764 766) or a doctor at once. If swallowed do NOT induce vomiting. If swallowed immediately call the Poisons Information centre or a doctor. IF ON SKIN Remove immediately all contaminated clothing and wash skin with soap and water. If skin irritation occurs get medical advice/attention. IF IN EYES Rinse carefully with water for several minutes. If eye irritation persists get medical advice/attention. Wash contaminated clothing before reuse. IF INHALED Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of FIRE use foam to extinguish.

FIRE:

IN case of FIRE use foam to extinguish. Firefighters should wear full protective clothing and self contained breathing apparatus.



QUEENSLAND
Brisbane
MJS Floorcoverings
35 Dividend St
Mansfield 4122
Ph: 07 3347 7300
Fax: 07 3343 9792

NSW
Sydney
MJS Floorcoverings
2/4-7 Potter Close
Wetherill Park 2164
Ph: 02 9616 1500
Fax: 02 9616 1502

VICTORIA
Melbourne
MJS Floorcoverings
82 Endeavour St
Sunshine 3020
Ph: 03 9351 7400
Fax: 03 9351 7402

TASMANIA
Hobart
MJS Floorcoverings
101 Albert Rd
Moonah 7000
Ph: 03 6242 8800
Fax: 03 6242 8802

NORTHERN TERRITORY
Darwin
MJS Floorcoverings
Unit 4/124 Coonawarra Rd
Winnellie NT 0821
Ph: 08 7922 9700
Fax: 08 7922 9702

SOUTH AUSTRALIA
Adelaide
MJS Floorcoverings
22 Ridley Street
Hindmarsh SA 5007
Ph: 08 8178 5300
Fax: 08 8178 5302

WESTERN AUSTRALIA
Perth
MJS Floorcoverings
Opening 2019



MAX BOND

PRODUCT DATA SHEET

DISCLAIMER:

All Statements and technical information contained herein are based on tests we believe to be reliable but the accuracy thereof is not guaranteed. Users assume all risk and liability resulting from the use of the product and must confirm the suitability thereof by their own tests. Conditions of Sale contain a limited warranty against manufacturing defects.

Issued: January 2021



QUEENSLAND

Brisbane
MJS Floorcoverings
35 Dividend St
Mansfield 4122
Ph: 07 3347 7300
Fax: 07 3343 9792

NSW

Sydney
MJS Floorcoverings
2/4-7 Potter Close
Wetherill Park 2164
Ph: 02 9616 1500
Fax: 02 9616 1502

VICTORIA

Melbourne
MJS Floorcoverings
82 Endeavour St
Sunshine 3020
Ph: 03 9351 7400
Fax: 03 9351 7402

TASMANIA

Hobart
MJS Floorcoverings
101 Albert Rd
Moonah 7000
Ph: 03 6242 8800
Fax: 03 6242 8802

NORTHERN TERRITORY

Darwin
MJS Floorcoverings
Unit 4/124 Coonawarra Rd
Winnellie NT 0821
Ph: 08 7922 9700
Fax: 08 7922 9702

SOUTH AUSTRALIA

Adelaide
MJS Floorcoverings
22 Ridley Street
Hindmarsh SA 5007
Ph: 08 8178 5300
Fax: 08 8178 5302

WESTERN AUSTRALIA

Perth
MJS Floorcoverings
Opening 2019